

presto Tyre Repair

Technical Information



Rubber based spray to execute emergency repairs on tubeless tyres. Can be used without removing the tyre. Immediate roadside assistance. Closes in seconds holes in the tire and pumped it up again. Suitable for all common types of tires up to max. 18 inches.

Ord.-no: 383298, 425172, 104231

Quality & properties

- First Aid for flat tyres
- Using without demounting the tyre
- Seals and pumps on again
- User-friendly
- Rubber-based

Physical & chemical data

- Base: Special resin
- Colourname: beige
- Surfaces: tubeless tires
- Minimum Working Temperature: 5 °C
- Maximum Working Temperature: 30 °C
- Flash point: n.a.
- Storage stability: 10 y
- Content:
 - 500 ML
 - 150 ML

How to use

Bring the can to room temperature / Operational temperature 5 to 30°C.
 Shake before use.
 Search the cause of the leakage and remove this.
 Completely let the tyre down.
 Screw the adaptor on the valve.
 Hold the can upside down and empty completely.
 Drive approximately ten (10) kilometres with a maximum speed of 50 kilometre per hour in order to enable the product to equally spread in the tyre.
 Then remove the propellant from the tyre and again bring the tyre on pressure.
 Note: presto Tyre Repair is a breakdown help. Repair the tyre soonest, indicating the tyre was temporarily repaired with Tyre Repair. Suitable to repair small leakages in the tread of the tyre.

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

As of May 7, 2025 – This release replaces all eventually earlier issued versions.